

SUBTERRANEAN TERMITES (OUTDOORS)

General Information

DIRECTIONS FOR USE

People and pets may enter treated area after application has dried.

This product has a long residual, providing up to 16 weeks control of cockroaches and up to 12 weeks of other pests.

FOR OUTDOOR USE ONLY.

DO NOT USE INSIDE DWELLINGS.

SHAKE PRODUCT WELL BEFORE USE.

- Virtually odor-free
- Fast-acting
- Easy-to-use
- Non-staining
- Kills Ants, Earwigs, Fleas, Insects, Mites, Roaches, Silverfish, Spiders, Ticks & Other Listed Pests

1 Tablespoon (1 Tbs.) = 3 teaspoons (tsp.);

1 fl. oz. = 2 Tbs.; 4 fl. oz. = ½ cup.

Do not use household utensils to measure this product.

Limitations, Restrictions, and Exceptions

SUBTERRANEAN TERMITES (OUTDOORS)

Kills and controls subterranean termites. Chemicals for soil treatment are used to establish a barrier against termites. The chemical emulsion must be adequately dispersed in the soil to provide a barrier between the wood in the structure and the

termite colonies in the soil. Barriers may be established in the soil on the outside perimeter of the house by trenching using a rate of 4 gallons of emulsion per 10 linear feet per foot of depth. A complete termite barrier may require treatment with another EPA registered product to the inside perimeter of the foundation and to other interior critical areas. For these situations, contact a licensed pest control operator for treatment. Prevents subterranean termite infestations. For outdoor homeowner post-construction use only. DO NOT use under slabs, in crawl spaces or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment. Keeps termites away for up to 5 years in areas treated.

HOW TO APPLY

Trench Treatment

- Remove all wood debris and wood forms.
- Poured Concrete Foundations: Dig a trench 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.
- Brick and Block Foundations: Dig a trench 6 inches wide and 12 inches deep. If the footing is more than 12 inches deep, make holes with a crowbar, pipe or steel rod about 1 foot apart that extend from the bottom of the trench to the top of the footing. Make holes closer together in hard-packed clay soils.
- To avoid shifting your house foundation, never dig below the top of the footing.
- Apply the diluted solution (emulsion) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth.
- Apply half volume of the diluted product with a sprinkling can in the trench. Apply other half to the backfill as the trench is refilled.

Fence Posts

- Use a sprinkling can. Pour $\frac{1}{2}$ gallon of diluted product into fence post hole and add another $\frac{1}{2}$ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

Fence Posts – Termite Prevention

Create an insecticidal barrier in the soil around wooden constructions such as signs, fences and landscape ornamentation.

- Previously installed poles and posts may be treated by gravity-flow through holes made from the bottom of the trench around the pole or post. Treat on all sides to create a continuous insecticidal barrier around the hole.
- Use 1 gallon of emulsion per foot of depth for poles and posts less than six inches in diameter.
- For larger poles, use 1.5 gallons of emulsion per foot of depth.
- Apply to a depth of 6 inches below the bottom of the wood.
- For larger constructions, use 4 gallons per 10 linear feet per foot of depth.

WHEN TO REAPPLY

Reapplication for subterranean termites should only be made when there has been a disruption of the chemical barrier in the soil due to constructions, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of the entire premises must be avoided.

IMPORTANT

DO NOT treat structures that contain cisterns, wells, French drains or sump systems. Soil in the vicinity of wells, cisterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (or site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

Method

[Trench](#)

Timings

[When there has been a disruption of the chemical barrier in the soil due to](#)

constructions, excavation, landscaping, etc.