

CARPENTER ANTS, CARPENTER BEES, WOOD-DESTROYING BEETLES, AND OTHER HOME-INVADING PESTS (OUTDOORS)

General Information

DIRECTIONS FOR USE

People and pets may enter treated area after application has dried.

This product has a long residual, providing up to 16 weeks control of cockroaches and up to 12 weeks of other pests.

FOR OUTDOOR USE ONLY.

DO NOT USE INSIDE DWELLINGS.

SHAKE PRODUCT WELL BEFORE USE.

- Virtually odor-free
- Fast-acting
- Easy-to-use
- Non-staining
- Kills Ants, Earwigs, Fleas, Insects, Mites, Roaches, Silverfish, Spiders, Ticks & Other Listed Pests

1 Tablespoon (1 Tbs.) = 3 teaspoons (tsp.);

1 fl. oz. = 2 Tbs.; 4 fl. oz. = ½ cup.

Do not use household utensils to measure this product.

Limitations, Restrictions, and Exceptions

CARPENTER ANTS, CARPENTER BEES, WOOD-DESTROYING BEETLES, AND OTHER HOME-INVADING PESTS (OUTDOORS)

For use against hornets, wasps and yellow jackets: Application should be made in

the late evening when insects are at rest. Aim spray at nest openings in ground, bushes and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible.

Refer in the label for mixing instructions and amount to use when using a tank sprayer and Ortho Dial 'N Spray.

Treatment for Wood-Destroying Pests (Outdoors)

Localized Areas Outdoors: For the control of insects such as termites, ants, carpenter ants, and wood-infesting beetles such as Old House Borer and Powder Post in localized areas of infested wood around structures, apply emulsion to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable. Paint on or fan spray applications may also be used.

HOW TO APPLY

Wood Treatment

- Fences and Outdoor Wood Surfaces of Buildings: Apply evenly on wood surfaces. Allow to dry and repeat to ensure the insecticide soaks into the wood.
- Wood Piles and Stored Lumber: Use a Dial 'N Spray or Ortho garden tank sprayer or a sprinkling can to deliver a coarse drenching spray. Treated wood can be burned or used for building one month after treatment.

Perimeter Treatment

- To keep insects from entering the house, use a hose-end or tank sprayers to spray a 3 to 10 foot band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 to 3 feet. House siding may be treated if pests such as gypsy moth adults and caterpillars, boxelder bugs, elm leaf beetles, earwigs, or silverfish are present.

IMPORTANT

DO NOT treat structures that contain cisterns, wells, French drains or sump systems. Soil in the vicinity of wells, cisterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen,

or in any conditions where run-off or movement from the treatment area (or site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

Method

[Surface](#)

[Trench](#)

[Surface](#)

[Trench](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

•

Timings

[When insects are present.](#)

[Hornets, Wasps, and Yellow jackets: In the late evening when insects are at rest.](#)