

# **LIVESTOCK EQUIPMENT**

## General Information

### INDICATIONS

Profilm Disinfectant Concentrate solution has a built-in time release of formaldehyde for the final disinfection of farm and hatchery buildings, vehicles and equipment. Little or no formaldehyde odour will be detected.

Profilm has proven effective as a disinfectant by the A.O.A.C use dilution test modified for spray products against the following organisms. All dilutions (1:128) tested at 400 ppm water hardness (as calcium carbonate) and 5% bovine serum.

Profilm has proven virucidal efficacy for use on hard nonporous inanimate environmental surfaces. All dilutions (1:128) tested at 400 ppm water hardness (as calcium carbonate) and 5% bovine serum.

Profilm has proven effective fungicidal activity by the A.O.A.C. use dilution test modified for spray products. All dilutions (1:128) tested at 400 ppm water hardness (as calcium carbonate) and 5% bovine serum.

### DIRECTIONS FOR USE

Dilute with cold water as directed below and apply by spray or manual methods. Allow to air dry after assuring a minimum contact time of 10 minutes. A minimum contact time of 60 minutes is recommended for disinfection of Foot and Mouth Disease virus.

### Limitations, Restrictions, and Exceptions

#### Livestock Equipment

Use Dilution: 1:128

Empty all feeding and watering equipment. Preclean all equipment using a germicidal detergent as above and rinse with water. Thoroughly wet all parts of the equipment with Profilm solution. Immerse all halters, ropes, forks, shovels and scrapers as well as other types of equipment. Do not spray onto feed to be consumed by animals or birds. Rinse feeders and waterers thoroughly with potable

water prior to reuse.

Method

[Spray](#)

Timings

[N.A.](#)