

# MANGOES

## General Information

### GENERAL INFORMATION

VAPOR GARD is a water emulsifiable organic concentrate for use on plants to reduce water transpiration. The soft, flexible film formed after the spray application dries, will significantly reduce moisture lost by the plant foliage.

All anti-transpirant spray applications must be applied for full coverage. Spray VAPOR GARD for full coverage or use as a dip. No additional spreader is needed with VAPOR GARD. Apply VAPOR GARD at least one hour, during daylight, before an anticipated rain. Sunlight for this time period, is needed for the protective film to set. VAPOR GARD dries on plants to form a clear, glossy film which retards normal moisture loss without interfering with plant growth or normal respiration. VAPOR GARD beautifies plants by polishing leaf surfaces.

### DIRECTIONS

Can Be Used On All Growing Plants Including: Trees (Deciduous and Conifers); Evergreens; Christmas Trees; Shrubs; Turf; Roses; Flowering Plants; Vegetable, Tobacco and Fruit and Nut Trees. Apply VAPOR GARD alone. CAUTION: Do Not apply in spray tank combination with any pesticide, on any crop.

### Limitations, Restrictions, and Exceptions

MANGOES: To enhance red fruit coloration and to improve storage and shipping quality, through moisture conservation, apply VAPOR GARD at the rate of 1 to 2 gallons per acre, approximately 2 to 4 weeks before harvest. Apply at least 100 to 600 gallons of spray per acre, depending on tree size. Make the VAPOR GARD application in adequate water for complete tree coverage.

### Method

[Spray](#)

Rates

[field rates 0](#)

-

Timings

[Preharvest](#)