

FOR CONTROL OF POCKET GOPHERS

General Information

DIRECTIONS FOR USE

Important: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of the reach of children, pets, domestic animals and non-target wildlife.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on the label.

Use Restrictions:

For control only of Pocket Gophers (*Geomys* sp. and *Thomomys* sp.) in and bordering crops (alfalfa, forage, hay, vegetables and grains); rangeland; orchards; and non-crop areas (forestry plantations, golf courses and other turf areas, level/ditch banks, nurseries, parks and around agricultural buildings). Apply only by method of application on the label. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait above ground. Remove or bury any bait spilled on the ground during application.

Endangered Species Considerations:

Do not use this product within prairie dog towns within the range of the black-footed ferret without first contacting endangered species specialists, U. S. Fish and Wildlife Service, Denver Regional Office. Do not use this pesticide within one mile of active dens of the San Joaquin Kit Fox in the following California counties: Fresno, Kern, Kings, Merced, Monterey, San Benito, Santa Barbara, San Luis Obispo, Tulare and Ventura. Prior to use, contact endangered species specialists at the California Department of Fish and Game or the U.S. Fish and Wildlife Service, Portland Regional Office, for recommendations. To review endangered species within your

state and county, log on to www.fws.gov, at the top of the page use the drop down menu to select your region; then select endangered species or ecological services (dependant on the region); next search for the listed species by state or county; review list of endangered species for that area.

Selection of Treatment Areas:

Pocket gophers throw out low, fan-shaped mounds of earth from their underground tunnels. The tunnel entrance is plugged with soil and is found near one edge of the mound. The mounds are usually at the end of short lateral tunnels which connect with the main burrow system. The main burrow is typically about 18 inches from the mound and within 10 inches of the surface. A single gopher burrow system will be about 50 feet in diameter.

Limitations, Restrictions, and Exceptions

Application Directions:

For use in machine applicators using burrow building equipment: Adhere to manufacturer's instructions for the equipment used to apply Kaput bait. Construct artificial burrows at the same depth as existing gopher tunnels, spaced about 20-30 feet apart. Apply at the rate of 6 to 8 lbs of bait per acre. Apply only when soil conditions allow for the formation of good artificial tunnels. Collect and dispose of spilled bait according to the label.

Use Restrictions:

For control only of Pocket Gophers (*Geomys* sp. and *Thomomys* sp.) in and bordering crops (alfalfa, forage, hay, vegetables and grains); rangeland; orchards; and non-crop areas (forestry plantations, golf courses and other turf areas, level/ditch banks, nurseries, parks and around agricultural buildings). Apply only by method of application on the label. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait above ground. Remove or bury any bait spilled on the ground during application.

Method

[Bait](#)

Rates

[field_rates 0](#)

-

Timings

[N.A.](#)