

MILD DEFICIENCY

General Information

PHT Che-Magnesium 2.5% is fully chelated and in a form readily available to plants. PHT Che-Magnesium 2.5% is compatible with most pesticides. Use the standard jar test to determine compatibility. PHT Che-Magnesium 2.5% is most effective when placed in the root zone during planting or moved into the soil by irrigation. Do not use this product for foliar applications. It is important that the magnesium deficiency be treated before visual symptoms appear. Rates of application will vary depending upon the severity of the deficiency, climate and soil conditions. Consult your State Agricultural Experiment Station or Extension Specialists for advice in selecting treatment from the label to best fit local conditions. Avoid applying this product when plants are suffering from moisture stress.

DIRECTIONS FOR USE

PHT Che-Magnesium 2.5% can be applied to the soil alone or in combination with dry or liquid fertilizer. PHT Che- Magnesium 2.5% is recommended to correct deficiencies in crops and ornamentals and designed for the following uses: (1) Mixing with liquid fertilizers for pre-emergence or post-emergence application; (2) Mixing with liquid fertilizers; (3) Application in irrigation water, either alone or in combination with fertilizers and/or pesticides; (4) Mixing with pesticide spray solutions for soil application; (5) Application either alone or as a component in other liquid mixtures where soil application is otherwise impractical.

Method

[N. A.](#)

Rates

[field rates 0](#)

•

Timings

[N. A.](#)