

TREES AND SHRUBS - ARIZONA ETC.

General Information

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or for other commercial use, or for commercial seed

production or for research purposes.

Do not apply this product in enclosed areas.

Do not use food utensils to mix or apply this product.

Keep people and pets off treated areas until the spray has dried.

SHAKE WELL BEFORE USING

THREE STEPS TO MIX AND APPLY:

1. For lawns and vegetables, measure the area to be sprayed. Calculate square feet by

multiplying length by width. For all other applications, apply as a thorough cover spray.

2. Use a clean sprayer. Carefully measure and mix the amount of concentrate and water as directed.

3. Spray as directed. Thorough coverage is important. Flush sprayer with clean water after

each use. Make applications when insects first appear. Repeat applications as directed.

Use Dilution rate as indicated:

1 fl.oz. = 6 tsp. or 2 Tbsp.

8 fl.oz. = ½ pt. or 1 cup

Limitations, Restrictions, and Exceptions

TREES AND SHRUBS

Use 1/4 fl.oz. in 1 gal. of water. Apply as a thorough spray, wetting leaves and branches to the dripping point. Try to penetrate dense foliage. Spray in the late afternoon or evening, when the temperature ranges from 50°-75°f and when there

is little or no wind. Spray at the first sign of insects. Application can be made up to the day of collection.

- On Tent caterpillars, application should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening, when caterpillars have returned to their tents. Wet tents with spray on all sides. A few caterpillars may be seen escaping from the tent; however, they should die within several hours.

Method

[Spray](#)

Rates

[field_rates 0](#)

•

Timings

[When insects first appear.](#)