

COTTON

General Information

General Information

CHEM-SUPRA MICRI-MIX is a foliar or soil-applied micronutrient and is nonphytotoxic when used as directed. CHEM-SUPRA MICRO MIX is completely available and absorbed by the leaf surface or the root system. CHEM-SUPRA MICRO MIX is recommended on the following crops: Alfalfa, Almonds, Avocados, Apples, Barley, All beans, Broccoli, Cabbage, Cauliflower, Carrots, Celery, Citrus, Corn, Grapes, Lettuce, Milo, Melons, Nectarines, Rice, Pears, Peaches, Pecans, Peppers, Plums, Prunes, Potatoes, Peanuts, Sorghum, Soybeans, Sugar beets, Sweet corn, Sugar cane, Strawberries, Tea, Tomatoes, Turnips, Walnuts, Watermelons, Wheat and most other crops.

Limitations, Restrictions, and Exceptions

Cotton: Apply 1 pint per acre per week or 1 quart every other week. Start treatment at early bloom. when foliar spraying CHEM-SUPRA MICRO MIX through conventional sprayers, use a minimum of 20 gallons of water per acre. When foliar spraying CHEM-SUPRAMICRO MIX with low volume equipment, 5 gallons of water per acre is usually sufficient. If less water is used, slight burning of the foliage may occur. A maximum of one-half gallon per acre per application is recommended. Aerial applications should not exceed 1 quart per gallon of water. For best results spray when the crop is in an active growing state, after irrigation or natural rain fall. Spray early in the morning or late afternoon. Mid-day sprays may not be effective because of excessive moisture evaporation. The additional of one-half percent (total solution) of nitrogen solution, ammonium sulfate, or L.B. Urea may aid leaf absorption.

Method

[Spray](#)

Rates

[field rates 0](#)

•

Timings

At early bloom