

FOR USE AS A DEFOLIANT ON CITRUS TREES

General Information

PRODUCT USES: Magna-Bon CS 2005D is a copper sulfate pentahydrate formulation for use as a defoliant on orange and grapefruit trees.

Liquid equivalents: one fluid ounce = 29.5 milliliters = 6 teaspoons

FOR USE AS A DEFOLIANT ON CITRUS TREES: For use as a defoliant on Orange and Grapefruit trees, mix 4 (four) fluid ounces of Magna-Bon CS 2005D per 1 (one) gallon of water. To be applied by a backpack/handheld spray or an airblast sprayer device that sprays into an area that is hard to reach with larger equipment. When mixing, add $\frac{1}{4}$ to $\frac{1}{2}$ of the required amount of water to the spray tank. Add the Magna-Bon CS 2005D and the remaining water. Agitation is not necessary. Spray to until the affected area is wet to ensure complete coverage of foliage. Applicator should use a sprayer that ensures complete coverage. Complete coverage is essential. Leaf defoliation will take 3-6 days.

New foliage will begin within 4-6 weeks.

AVOID SPRAY AND DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR AND THE GROWER.

The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Using water containing moderate to high amounts of sulfur may cause Magna-Bon CS 2005D to neutralize. Whenever possible, use a compatibility jar test before mixing a whole tank.

Method

[Spray](#)

Rates

[field rates 0](#)

•

Restricted Entry Interval

24 hours

Timings

[N.A.](#)