

LAWNS, ETC.

General Information

SUGGESTED DIRECTIONS

General use: Apply 5 to 10 lbs. per acre as a foliar application to supplement the normal soil applied fertility program. Can be applied by aircraft at rates equivalent to 1 lb. in 1 gal. of water, per acre. For back-pack sprayers use at the rate of 6 grams per liter or 4 teaspoonfuls per gallon.

- 5 LBS. PER ACRE = 5 KG PER HECTARE CAN BE USED WITH NU-FILM-P OR NU-FILM-17

COMPATIBILITY: NUTRI-LEAF is compatible with most pesticides commonly used on vegetable, fruit and agronomic crops. CAUTION: Do not use with Dormant Oil, Lime Sulfur, Spray Lime, or highly alkaline spray materials. Add NUTRI-LEAF to the spray tank or pre-mix tank when it is about half full. Agitation in the tank is preferred to increase the speed of solubility. Where extremely cold water is used, allow a few extra minutes for the product to completely dissolve before spraying.

Limitations, Restrictions, and Exceptions

LAWNS, GOLF COURSES AND TURF AREAS: For Kentucky and Merion Blue, Bent, Bermuda and Zoysia grasses.

The type of grass, color and rate of growth will dictate rate and frequency of application. NUTRI-LEAF can be combined with fungicide and/or soil insect treatments. (See Compatibility for the addition of Insecticides and Fungicides)

NOTE: Grasses growing in shade require approximately one-half as much plant food as when grown in full sun.

Use 5 lbs. in 100 gallons of water per 5,000 sq. ft., or 1 lb. in 10 gallons of water per 1,000 sq. ft., or 15 level tablespoonfuls in 4 gallons of water per 400 sq. ft. Apply monthly, starting February or March. More frequent applications may be necessary for desirable color and growth, especially on Bermuda and Zoysia grasses. Apply with watering can, hose proportioner or sprayer.

Method

[Spray](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

-

Timings

[Apply monthly, starting February or March.](#)