

WHEAT, BARLEY, ETC.

General Information

SUGGESTED DIRECTIONS

General use: 5 to 10 lbs. per acre. Use this product as a foliar application to supplement the normal soil applied fertility program. Can be applied by aircraft at rates equivalent to 1 lb. in 1 gal. of water, per acre. For back-pack sprayers use at the rate of 6 grams per liter or 4 teaspoonfuls per gallon.

- CAN BE USED WITH NU-FILM-P or NU-FILM-17

COMPATIBILITY: NUTRICHEM 9-15-30 is compatible with most pesticides commonly used on vegetable, fruit and agronomic crops. CAUTION: Do not use with Dormant Oil, Lime Sulfur, Spray Lime, or highly alkaline spray materials. Add NUTRICHEM 9-15-30 to the spray tank or pre-mix tank when it is about half full. Agitation in the tank is preferred to increase the speed of solubility. Where extremely cold water is used, allow a few extra minutes for the product to completely dissolve before spraying.

TRANSPLANTING: Use 5 lbs. per 100 gallons of water. (1 cup of mix per plant for hand setting) It requires about 200 to 300 gallons of water per acre for transplanting, or 10 to 15 lbs. of NUTRICHEM 9-15-30 per acre.

Limitations, Restrictions, and Exceptions

WHEAT, BARLEY, OATS, RYE, RICE, SUNFLOWER AND SUGARCANE: Apply at the rate of 5 lbs. per acre to improve growth and yield. Make the first application at the early tillering stage. Another application is very beneficial at the heading stage, applied before 10 percent of the heads are visible.

Method

[Spray](#)

Rates

[field rates 0](#)

•

Timings

At the early tillering stage.