

RASPBERRIES AND BLACKBERRIES

General Information

PHOSCARE is a nutritional supplement for a variety of crops. When applied properly it may be beneficial to plant growth, crop yield, and quality. Phoscare 0-28-25 can be used as soil and/or foliar applications. It can also be applied through irrigation water.

STATEMENT OF PRODUCT

Phosphorous acid products are intended to be used as a supplemental fertilizer treatment. Upon foliar application, the phosphite ions are taken up directly by the plant foliage and may undergo a degree of conversion to phosphate ions, or be utilized directly by the plants, as phosphite ions. As a soil application to annual crops, a lesser response from the initial crop, with a corresponding superior response from succeeding crops, may be observed. In addition, placement close to seeds or root zones may be injurious to crops. The effect may be aggravated by a soil pH below 6.5.

GENERAL RECOMMENDATIONS

FOLIAR APPLICATION: Phoscare 0-28-25 may be applied by air and concentrate or dilute ground sprayers. It should be diluted with at least 100 times of water.

Limitations, Restrictions, and Exceptions

Raspberries and Blackberries: Apply pre-bloom with subsequent applications at 30 to 90 day intervals or as needed.

Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

Rates

[field_rates 0](#)

-

Timings

[prebloom](#)