

TURFGRASS APPLICATIONS: NORTHERN AND SOUTHERN MASKED CHAFERS, ETC. (PESTS CONTROLLED)

General Information

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: Not For Use in New York State or California

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.

Apply only when wind speed is 10 mph or less at the application site.

Limitations, Restrictions, and Exceptions

Due to the residual activity of the active ingredient, applications of Sharda Imidacloprid 70 WDG may be made before target pests lay their eggs. For best control, apply before the egg hatch. All applications must be followed by rainfall or irrigation to move the active ingredient through the thatch.

When infested turfgrass areas are waterlogged, or soil beneath turf is saturated with water, avoid making applications because it is difficult to obtain thorough and consistent distribution of the product. Ensure that rainfall or irrigation after application will vertically penetrate the soil, allowing the active ingredient to be carried into the zone where the pests are found.

Method

[Spray](#)

Rates

[field_rates 0](#)

-

Timings

Before target pests lay their eggs.