

**FOR PREVENTION OR CONTROL OF SUBTERRANEAN TERMITES,
ETC. (0.1% CONCENTRATE - 50 GALS FINISHED SOLUTION
DESIRED)**

General Information

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: Not For Use in New York State or California

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.

Apply only when wind speed is 10 mph or less at the application site.

Limitations, Restrictions, and Exceptions

For prevention or control of subterranean termites, drywood termites, dampwood termites, carpenter ants, and other wood-infesting insects:

Structures that may contain wells or cisterns within the foundation of the structure can only be treated using the treated backfill method described in the treatment around wells and cisterns section of the label. Consult local and state specifications for recommended distances of wells from treated area, or if such regulations do not exist, refer to Federal Housing Administration Specifications for guidance. Do not formulate this product into other end-use products.

APPLICATION VOLUME

The application volumes described in the directions for use must be used whenever possible. When soil conditions will not accept the application of 4 gallons per 10 linear feet, twice the amount of Sharda Imidacloprid 70 WDG may be applied in 2 gallons of solution per 10 linear feet.

USE INFORMATION

Treatment standards for subterranean termite control may vary due to regulations, procedures used, soil types, construction practices and other factors. The purpose of chemical soil treatment for termite control is to establish a continuous chemical treated zone (horizontal or vertical as needed) between the wood and other cellulose material in the structure and the termite colonies in the soil. Follow all federal, state, and local regulations and treatment standards for protection of a structure from termites. In some cases where an aerial or above ground colony is established, supplemental treatments to control the termites, landscape modifications, and/or structural repairs may be needed to deprive termites of a moisture source. Use a 0.05% to 0.1% dilution based on local recommendations. Generally a 0.05% dilution is used for typical control situation >, while a 0.1 % dilution is normally used for severe or persistent infestations.

Method

[Backfill method](#)

Rates

[field rates 0](#)

•

Timings

[N. A.](#)