

# HEAVY INFESTATIONS

## General Information

### PRODUCT INFORMATION

#### Use Instructions and Precautions:

Do not treat areas that are easily accessible to children and pets.

- Advion Cockroach Gel Bait can be used indoors or outdoors applied as a crack and crevice treatment within residential homes, industrial facilities, offices, warehouses, commercial kitchens, hospitals, schools, nursing homes, hotels, buses, trains, aircraft, retail and commercial establishments, and other areas infested with cockroaches.

- Apply Advion Cockroach Gel Bait to areas frequented by cockroaches such as between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, cabinets, sinks, closets, and any other equipment that cockroaches are typically known to hide.

- Do not apply Advion Cockroach Gel Bait to surfaces recently treated with residual sprays.

- Do not apply residual sprays to surfaces treated with Advion Cockroach Gel Bait.

- Inspect bait placements during follow-up inspections and apply fresh bait as needed.

- Do not apply to surfaces that food contacts.

- Do not allow open foods to contact gel material.

#### Limitations, Restrictions, and Exceptions

#### Treatment Rates for All Uses

- For heavy infestations of cockroaches, apply 3 to 5 spots of Advion Cockroach Gel

Bait per 10 linear feet.

- Each spot of ADVION cockroach gel bait must equal about 0.5 grams (approx. 1/4" diameter)
- For all levels of cockroach infestations, when a bead of Advion Cockroach Gel Bait is used, apply a small thin bead that is less than 1/8" wide and approximately 2 inches long.

Method

[Spot treatment](#)

[Spray](#)

Restricted Entry Interval

24 hours

EXCEPTION: If the product is soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

Timings

[N.A.](#)