

TURF - WEEDS CONTROLLED - DANDELION, ENGLISH DAISY, ETC. - BROADCAST TREATMENT

General Information

What will I see?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn): this does not affect the health of the grass.

Use Precautions:

Do not apply to drought stressed grass; ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year.

FIESTA TURF WEED KILLER:

- Kills weeds not lawns
- Works in cool weather
- Rainfast in 3 hours
- Works fast
- See results the same day
- No unpleasant odor

- Eliminates unwanted moss, algae and lichens quickly
- Lawn areas can be re-sown within one day of treatment with FIESTA
- Even works in cool weather
- Kills weeds, down to the root
- Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture
- The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds
- People and pets can enter treated area when spray dries

Limitations, Restrictions, and Exceptions

Application Directions – Broadcast Treatment

Weeds Controlled

Standard rate for control of most weed species: dandelion, English daisy, false dandelion, white clover, bull thistle, Canada thistle, common chickweed, narrow-leaved plantain, dove's foot geranium, lawn burweed, and algae, and for the SUPPRESSION of broad-leaved plantain.

Rate of Spray Solution: 5.7 fl ozs / sq yd; or 4.9 gal / 1000 sq ft

Rate of Concentrate: 25.2 fl ozs / 1000 sq ft

Area Treated: 12700 sq ft / 2.5 ga jug

Shake well before using. Mix one part Fiesta Turf Weed Killer with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5 - 10 gallons/1000 sq ft (2.8-11.5 fluid oz/sq yard), using the chart to determine how much diluted spray to use per area. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment in 3 to 4 weeks for best results.

Method

[Broadcast Spray](#)

Rates

[field rates 0](#)

[field rates 1](#)

[field rates 2](#)

•

Timings

[In the Spring or Fall when environmental conditions are cool and there is ample moisture.](#)

[In the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds.](#)