

## **NON-CROP AREAS - EXTENSIVE AREAS**

### General Information

#### USE PRECAUTIONS

Unless otherwise noted under individual DIRECTIONS section, for aerial application, apply the recommended amount in a minimum of 2 gallons of water per acre. For ground application, apply the recommended amount in a minimum of 10 gallons of water per acre. Use more water for both methods when adverse growing conditions are present. DO NOT apply with high spray pressures, hollow cone or other nozzle types that produce small spray droplets which may drift. Avoid spray drift by making applications when conditions such as wind, air stability and temperature inversions are not a factor. The use of a suitable drift control agent at the proper rate will aid in the reduction of spray drift. Do not apply this product through any type of irrigation system.

### Limitations, Restrictions, and Exceptions

#### NON-CROP AREAS

#### DIRECTIONS

Apply in a minimum of 2 gallons of water per acre by air and 20 to 100 gallons of water by ground. Spray when weeds are in bud to early bloom and again during active fall regrowth.

Apply in 3 to 4 gallons of water. Spray to thoroughly wet weeds.

#### RESTRICTIONS AND LIMITATIONS FOR NON-CROP AREAS

Do not forage or graze treated areas for 7 days after application. Broadcast Treatment: Do not apply more than 3.25 pints (1.5 lbs. ae) Shredder MCPE Phenoxy Herbicide per acre per year. Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

#### Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

Rates

[field\\_rates 0](#)

[field\\_rates 1](#)

- 

Restricted Entry Interval

12 hours

Timings

[When weeds are in bud to early bloom and again during active Fall regrowth.](#)