

LAWN APPLICATION

General Information

For use by individuals/firms licensed or registered by the State to apply pesticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the Pest Control Regulatory Agency for your State prior to use of the product. For use to control Ants (including Imported Fire Ants), Mole Crickets and other Insect pests on lawns.

Limitations, Restrictions, and Exceptions

Lawn Application:

Broadcast this product with suitable application equipment to ensure uniform coverage over the treatment area.

Ants, Millipedes, Mole Crickets, Fleas, Centipedes, Tick: The higher application rate may be required to control Ants, Centipedes, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks (including Deer Ticks).

Deer Ticks: Deer ticks (*Ixodes* sp.) have a complicated life cycle that ranges over a two year period and involves four life stages. Applications should be made in mid to late spring to control larvae and nymphs that reside in the soil and leaf litter.

- The higher application rate may be required to control Ants, Centipedes, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks (including Deer Ticks).

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Low and High Application Rate: 0.47-0.94 lbs nitrogen per 1000 sq ft.

Low and High Application Rate: 0.10-0.20 lbs a.i. per 1000 sq ft.

Method

[Broadcast/Foliar Ground](#)

Rates

[field rates 0](#)

-

Timings

[In mid to late spring.](#)