

## **FOR USE ON GROWING CROPS (OUTDOORS AND IN GREENHOUSE - 2.3 ACRES / GALS )**

### General Information

#### DIRECTIONS

Phytotoxicity: AZERA has been evaluated for phytotoxicity on a wide range of plants. However, since testing on all varieties of all plants is not feasible, nor is testing of all possible combinations or sequences of pesticide sprays including fertilizers, surfactants and adjuvants. Before making tank mix combinations with AZERA, or before making widespread applications, it is recommended to treat a limited number of plants and observe for phytotoxicity over a 10-day period. It is further recommended that spray equipment used to apply AZERA be thoroughly cleaned before use.

Mode of Action: AZERA kills target pests quickly by contact or ingestion. It also kills listed insects by interfering with the molting process and as a adulticide. It is effective on all larva stages, pupae, and adults.

pH: The pH should be adjusted to a pH of 5.5-7.0.

Honey Bees: To avoid possible harm to honey bees, it is advisable to apply in early morning or late evening hours.

#### Dilution Rates

Conventional Equipment: In sufficient water for thorough coverage. Dilution in a minimum of 30 gallons (114 L) of water per acre is recommended

Hand Sprayers: 1-2 fluid ounces (30-60 ml) of AZERA per gallon (3.8 L) of water

Arial Application: This product may be applied by air at the rate of 16-56 fluid ounces (473 mL-1.9 L) per acre in a minimum of 25 gallons (95 L) of water

Greenhouse: Dilute 53-107 fl. oz. (1567-3164 ml) with 100 gallons (378.54 L) of water for applications with conventional hydraulic sprayers, or 1 to 2 fl. oz. (30-60 ml) per one gallon (3.8 L) of water, or applications with compressed sprayers. Use

2.3 gallons (8.71 L) of spray solution per 1,000 square feet (93 sq m).

## GENERAL PRECAUTIONS AND RESTRICTIONS

Apply this product only as specified on the label.

- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Do not enter or allow others to enter until sprays have dried.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until vapors, mists and aerosols have dispersed. Only protected handlers may be in the area during application.
- Do not wet plants to the point of runoff or drip.
- Do not apply directly to or near water, storm drains or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.
- Do not apply more than 1 time per day.
- Do not apply more than 10 times per season.
- Do not reapply within 3 days except under extreme pest pressure.
- In case of extreme pest pressure, do not reapply within 24 hours.

### Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

### Rates

[field\\_rates 0](#)

[field\\_rates 1](#)

[field\\_rates 2](#)

•

### Restricted Entry Interval

12 hours

Timings

[When insects first appear.](#)