

TREES WITH 2 OR MORE TRUNKS

General Information

DIRECTIONS FOR USE

BEFORE YOU USE:

- Do not apply near lakes, streams, rivers, or ponds.
- Do not apply to soils which are water-logged or saturated.
- Bucket or measuring utensils should not be used for any food or drinking water purposes after use with this product.

HOW TO USE:

Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount into a bucket of water and empty the bucket around the base of the tree/shrub.

HOW TO APPLY

- Fill a bucket or watering can with 1 gallon of water. [For trees with circumference greater than 50', use 2 gallons of water.]
- Shake the bottle of ferti lome TREE & SHRUB SYSTEMIC INSECT DRENCH well.
- Carefully measure required amount of product into bucket.
- Slowly pour the solution evenly around the tree. For best results, pour as close to the trunk/main stem of the tree/shrub as possible.
- Fill the bucket with clean water and pour it around the trunk as well.

FOR BEST RESULTS

Use this product as part of an overall tree and shrub health care program before problems start [preferably in the fall]. However, this product can be applied anytime except when the ground is waterlogged or frozen. These conditions inhibit the

movement of the product down into the root zone.

During prolonged dry periods [spells], water the tree/shrub well the night before making an application.

For severe infestations, treat with a foliar insecticide labeled for use on ornamentals then use this product as part of a routine care program.

HOW ferti lome TREE & SHRUB SYSTEMIC INSECT DRENCH WORKS

The insecticide dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection. ferti lome TREE & SHRUB SYSTEM INSECT DRENCH even moves into new growth after application, thus protecting it, too. To get complete protection, the insecticide must distribute completely through the tree/shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection.

NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress.

Limitations, Restrictions, and Exceptions

TREES WITH 2 OR MORE TRUNKS:

Measure the distance (in inches) around each tree trunk and add together. Multiply this total by 0.75 to get the required number of ounces of this product to apply.

Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of 40 [inches], $40 \times 0.75 = 30$ ounces.

PEST:

Except California - Billbug and Crane fly larvae.

Suppression - Armored Scale.

Method

[Drench](#)

Rates

[field_rates 0](#)

-

Timings

[Before problems start \[preferably in the fall\].](#)