

# CHERRY

## General Information

### PRODUCT INFORMATION

Spray Volume: Apply REPAR TEBUCON 45 DF FUNGICIDE in 50 gallons or more of spray solution per acre by ground spray equipment or in 15 gallons or more per acre by aircraft equipment except as noted under “REMARKS” for each crop. Increase spray volume as crop growth increases to ensure through coverage of foliage and fruit. Check equipment calibration frequently. Complete coverage and uniform application are essential for the most effective results, especially when lower spray volumes are applied.

Aerial application is not allowed in the State of New York.

### Limitations, Restrictions, and Exceptions

### CHERRY

Mix specified rate of REPAR TEBUCON 45 DF FUNGICIDE in 100 gallons of water or wax/oil emulsion (or aqueous dilution of a wax/ oil emulsion). Apply through a spray or flood system on a commercial packing line after stem cutting, sizing, sorting or washing. For spray treatments, use conventional spray equipment such as T- Jet, flat- fan, or flood jet spray nozzles. Use enough fruit coating material to fully coat fruit. Workers handling treated fruit need to wear waterproof gloves. Do not apply more than once prior to boxing and do not rinse.

### Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

### Rates

[field rates 0](#)

- 

### Timings

[Post-harvest](#)