

CITRUS (CALIFORNIA AND ARIZONA ONLY) - FOLIAR SPRAY

General Information

DIRECTIONS FOR DILUTION UNLESS STATED

DILUTE APPLICATION: Ground Application For Field and Vegetable Crops: Apply specified rate in 20.0 to 60.0 gallons of water per acre.

CONCENTRATE APPLICATION: Ground Application: Apply specified rate in not less than 5.0 gallons of water per acre. Orchard Application:

Apply equivalent per acre rates in 20.0 to 100 gallons of water per acre. Special concentrate equipment is necessary for these uses.

AIR APPLICATION: Apply specified rate in 5.0 to 20.0 gallons of water per acre. Orchard rates use equivalent per acre rate in not less than 10.0 gallons of water per acre. Do not use air application on pecans.

Do not apply this product through any type of irrigation system.

Limitations, Restrictions, and Exceptions

CITRUS (grapefruit, lemons, oranges, tangerines) (non-bearing and nursery stock) California & Arizona only: Thrips, aphids-Foliar spray-Apply 1½ pts. (.5 lb a.i.) per 100 gallons of water. Repeat as necessary. Use only on nursery stock and other non-bearing trees (trees that will not bear fruit within one year). Use only on nursery stock and other non-bearing (trees that will not bear fruit within one year). Do not graze livestock on cover crops grown in treated orchards.

The REI is 10 days; however, the REI is increased to 14 days in outdoor areas where the average annual rainfall is less than 25 inches per year.

Method

[Foliar spray](#)

Rates

[field rates 0](#)

[field rates 1](#)

-

Restricted Entry Interval

10 days

Timings

[N. A.](#)