

GROUND (DILUTE AND CONCENTRATE), AERIAL, CDA

General Information

GENERAL INFORMATION

HYPER-ACTIVE is a spray adjuvant designed to specifically enhance the activity of insecticides, fungicides, and miticides by improving the deposition, retention, and wetting of spray application mixtures that contain them. These spray coverage and deposition improvements are applicable to both plant and pest surfaces. When used at recommended rates, HYPER-ACTIVE can positively affect pesticide spray application and pesticide efficacy. Optimum application effects, however, can be influenced by the crop, pest, spray equipment, spray volume, pressure, droplet size, spray mixture, and environmental factors. Consequently, it is recommended that careful observations of the spray deposit be made and adjuvant concentration adjusted accordingly. Not for aquatic use.

DIRECTIONS FOR USE

FOR USE WITH INSECTICIDES, FUNGICIDES AND MITICIDES REGISTERED FOR: AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, ORNAMENTAL, RIGHTS-OF-WAY, TURF, NON-CROPLAND, AND OTHER USES. NOT FOR AQUATIC USE.

In all applications of HYPER-ACTIVE, read and follow directions on the pesticide(s) label as to procedures, dosage rates, timing of applications, and restrictions for the crop on which the pesticide is to be applied. HYPER-ACTIVE can increase the activity of some pesticides.

The addition of an adjuvant to some pesticides or pesticide tank mix combinations may cause phytotoxicity to the foliage and/or fruit of susceptible crops. Prior to the addition of HYPER-ACTIVE to spray mixes, the user or application advisor must have experience with the combination or must have conducted a phytotoxicity trial or must take the recommendations from the labels of products to be tank mixed. The use of test areas is recommended when applying during periods of high humidity or high temperature or to other situations where field experience is limited.

HYPER-ACTIVE may be applied by ground, Controlled Droplet Applicators (CDA), or aerial spray equipment. For most applications, use enough HYPER-ACTIVE to allow

for uniform wetting and deposition of the spray onto leaf surfaces without undue runoff.

NOTE: The above use recommendations are considered to be adequate for most uses. Some fungicides, insecticides, and miticides, however, may recommend or require higher or lower rates for optimum effect. Follow the pesticide label directions when this occurs.

Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

•

Timings

[N.A.](#)