

IMPORTED FIRE ANT QUARANTINE TREATMENT - TOPICAL APPLICATION (3 QT. CONTAINER: POTTING MEDIA BULK DENSITY - 200 LBS PER CUBIC YARD)

General Information

APPLICATIONS INSTRUCTIONS

Wisdom Flowable formulation mixes readily with water and other aqueous carriers, and controls listed insects and mites on ornamentals, trees, shrubs, foliage plants, non-bearing fruit and nut trees, and flowers in greenhouses and interiorscapes including hotels, shopping malls, office buildings, etc., and, outdoor plantscapes, such as around residential dwellings, parks, institutional, public, commercial and industrial buildings, recreational, athletic fields, home lawns, golf courses and sod farms.

Non-bearing crops are perennial crops that will not produce a harvestable raw agricultural commodity during the season of application.

Wisdom Flowable may be tank-mixed with other products, including insect growth regulators. When tank mixing, Wisdom Flowable with other products, observe all precautions and limitations on each separate product label. The physical compatibility of Wisdom Flowable may vary with different sources of pesticide products and local cultural practices. Any tank mixtures which has not been previously tested should be prepared on a small scale (pint or quart jar) using the proper proportions of chemicals and water to ensure the physical compatibility of the mixture.

The following procedure is recommended for preparation of a new tank mix, unless specified otherwise in label directions: (1) Add wettable powders to tank water, (2) Agitate, (3) Add liquids and flowables, (4) Agitate, (5) Add emulsifiable concentrates, and (6) Agitate. If a mixture is found to be incompatible following this order of addition, try reversing the order of addition, or increase the volume of water. Note: If the tank mixture is found to be compatible after increasing the amount of water, then the sprayer will need to be recalibrated for a higher volume application. Do not allow tank mix to stand overnight.

Maximum rates (Except Nursery): Do not apply more than 0.1 lb ai/acre (20 fl oz Wisdom Flowable) in a single application, no more than 0.2 lb ai/acre/year (40 fl oz Wisdom Flowable) for outdoor applications.

Note: For large infestations of ants, imported fire ants, and mole crickets, a single application of 0.2 lb ai/acre (40 fl oz Wisdom Flowable) may be applied once per year.

Resistance: Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. Consult your local or state pest management authorities for details.

If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and suspect that resistance is a reasonable cause, immediately consult your local company representative or pest management advisor for the best alternative method of control for your area.

New York State Restrictions:

NOT FOR USE ON SOD FARMS IN THE STATE OF NEW YORK.

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh (or of a water body [lake, pond, river, stream, wetland, or drainage ditch].)

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Refer to the label for nursery dilution and turf dilution charts.

Limitations, Restrictions, and Exceptions

IMPORTED FIRE ANT QUARANTINE TREATMENT

Against Imported Fire Ants (IFA) in Potting Media (including balled and containerized nursery grown ornamental trees, shrubs, plants, flowers, conifers, bushes, Christmas trees, and non-bearing fruit and nut trees), Wisdom Flowable is approved and can be used in accordance with the USDA Imported Fire Ant Quarantine Program. Wisdom Flowable may be applied either soil incorporated, as a topical application, or as a high volume drench treatment.

Topical Application: Mix Wisdom Flowable in 1,000 ounces of water based on container size and bulk density of the potting media (see table on following page). Apply one (1) ounce of the mix to each container evenly distributed over the surface of the potting media. Irrigate all treated containers with 1.5 inches of water following application. When used in accordance with USDA guidelines, this application will provide a 6 month certification period.

Refer in the label for Recommended Topical Drench Application Rate of Wisdom Flowable for Control of IFA in Potting Media.

Method

[Soil incorporation](#)

Rates

[field rates 0](#)

•

Restricted Entry Interval

12 hours

Timings

[N. A.](#)