

# **LAWN AND PERIMETER - ARMYWORMS, CUTWORMS AND SOD WEBWORM**

## General Information

### DIRECTIONS FOR USE

Not for use on plants being grown for sale of other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climate modification and being grown in interior plantscapes, ornamental gardens or parks, or lawns or grounds.

Do not apply more than 0.2 lb. active ingredient (a.i.) per acre per application on residential use sites (i.e., around private homes, apartment buildings, condominiums, non-agricultural outbuildings, non-commercial greenhouses, pre-schools or day care facilities). May be applied at up to 0.4 lb. a.i. per acre per application on non-residential use sites (i.e., around institutional, public, commercial or industrial buildings; parks; recreational areas or athletic fields).

Do not broadcast apply more than 0.4 lbs. A.I. (200 lbs. LESCO CrossCheck EZ Granular Insecticide) per Acre per year.

Not for use on golf courses, sod farms, nurseries, in commercial greenhouses or on grass grown for seed.

Resistance: Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of the product should conform to resistance management strategies established for the use area. Consult your local or state pest management authorities for details. If resistance to the product develops in your area, the product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and suspect that resistance is a reasonable cause, immediately consult your local company representative or pest management advisor for the best alternative method of control for your area.

### Limitations, Restrictions, and Exceptions

## LAWN AND PERIMETER APPLICATIONS

Lawn Application: Broadcast LESCO CrossCheck EZ Granular Insecticide with suitable application equipment to ensure uniform coverage over the treatment area.

## APPLICATION RATES

The application rates listed will provide excellent control of the respective pests under typical conditions. However, at the discretion of the applicator, LESCO CrossCheck EZ Granular Insecticide may be applied at up to 0.4 lb AI/A to control each of the pests listed. However, for residential lawn use, do not apply more than 0.2 lbs. A.I. per Acre per application.

In New York State, the product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of LESCO CrossCheck EZ Granular Insecticide if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Perimeter Application: Apply to ground area 5 to 10 feet wide around and adjacent to the structure.

Boundary Applications: Apply to soil areas, ornamental gardens, pavement crevices, fencelines, planter areas, vegetation areas and mulch areas

(Refer to label for Pounds of LESCO CrossCheck EZ Granular for Perimeter Applications Linear Distance (Feet) Around Structure)

## COMMENTS

Armyworms, Cutworms, and SodWebworms: To ensure optimum control, irrigate the treated area with up to 0.1 inches of water immediately after application to activate (release from the granule) the insecticide.

Method

[Broadcast](#)

Rates

[field\\_rates 0](#)

[field\\_rates 1](#)

[field\\_rates 2](#)

- 

Timings

[N.A.](#)