

# **MICE**

## General Information

### USE RESTRICTIONS

This product may only be used for control of Norway rats, roof rats and house mice in and around homes, industrial, commercial, agricultural and public buildings and similar man-made structures. Do not apply further than 50 feet from buildings. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food.

When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers.

### SELECTION OF TREATMENT AREAS

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much foodstuff as possible from the area to be baited.

Do not sell this product in individual containers holding less than 4 pounds of bait.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper resistant bait stations must be used if children, pets, non-target mammals or birds may access the bait.

### Limitations, Restrictions, and Exceptions

## MICE

While wearing waterproof gloves, break each 2 oz. block into 3 pieces and place 1 or 2 pieces at 8 to 10 foot intervals. Larger placements (up to 3 pieces (2 oz.)) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of mouse activity cease to appear.

Follow-up: Immediately replace contaminated or spoiled bait. Wearing waterproof gloves, properly collect and dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborages as much as possible. Where a continuous source of infestation is present, establish permanent bait stations. Regularly check the stations and replace bait as needed.

Method

[Bait](#)

Rates

[field\\_rates 0](#)

•

Timings

[N. A.](#)