

FOLIAR USE

General Information

APPLICATION PRECAUTIONS:

System-VT is compatible with many fertilizers and pesticides but a compatibility check is recommended. Always ensure adequate dilution in the spray tank before adding System-VT to any mixture. Never mix System-VT in a concentrated form with other fertilizers or pesticides.

Do not mix System-VT with pesticides that are sensitive to low pH solutions, including copper based pesticides. Do not apply in combination with citrus oils at more than 1pt/ac or 0.5%, whichever is less. Do not apply in combination with petroleum oils at more than 2qts/ac or 1.0%, whichever is less.

Do not apply System-VT with a hand sprayer Do not apply to wet leaf or fruit surfaces. Apply to dry plant surfaces to the point of wet. Do not over-apply to the point of run-off.

Limitations, Restrictions, and Exceptions

Directions for Commercial Use:

System-VT is designed to supply key to nutrients to a variety of row crops as they transition from the vegetative to reproductive phase – such as tasseling in corn – to improve seed fill and maximize yield. System-VT is intended for foliar use. Apply with sufficient water for thorough coverage. System-VT can be applied via ground sprayer, air application or chemigated through pivots (minimizing the amount of water applied).

Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

Rates

[field rates 0](#)

-

Timings

N.A.