

CITRUS AND TROPICAL FRUITS - DRIP AND MICROSPRINKLER

General Information

DIRECTIONS FOR USE

Mix one yellow label OXYCOM-PREP PLUS container with one green label OXYCOM-AG container in equal amounts according to the following chart. OXYCOM-PREP PLUS is a plant nutrient containing 4% phosphorus and 3% potassium. OXYCOM-PREP PLUS is for soil application only. Follow all label instructions when applying OXYCOM-PREP PLUS.

APPLICATION RECOMMENDATIONS

OXYCOM-PREP PLUS may be applied through a recommended irrigation system or as a drench treatment. Apply OXYCOM-PREP PLUS in such a manner as to assure maximum penetration and distribution in the root zone. Apply with adequate irrigation water to assure movement of material into the root zone.

PRODUCT MIXTURE

It is recommended that OXYCOM-PREP PLUS and OXYCOM-AG be pre-mixed in a clean container prior to injecting into the irrigation system. Do not allow the OXYCOM-PREP PLUS to remain in combination with any other material in a tank mix for more than 12 hours prior to use.

RECOMMENDED IRRIGATION SYSTEMS

Apply OXYCOM-PREP PLUS only through sprinkler systems including center pivot, lateral move, on tow, side (wheel) roll, traveler, big gun, solid set, or hand move; flood (basin); furrow; border; or drip irrigation systems.

Limitations, Restrictions, and Exceptions

Apply 3 times during spring summer root flush at 21-28 day intervals. Make one fall application. Inject material into irrigation system for 20- 30 minutes. Allow adequate irrigation to assure movement of material into the root zone.

Method

Irrigation

Drench

Soil application

Rates

field rates 0

•

Timings

During spring summer root flush at 21-28 day intervals.