

AGRICULTURAL IRRIGATION SYSTEMS AND WATER: TREATMENT OF AGRICULTURAL IRRIGATION WATER AND DRAINAGE DITCHES

General Information

DIRECTIONS FOR USE

CONTROL OF ALGAL, FUNGAL, AND BACTERIAL GROWTH IN PULP AND PAPER MILL SYSTEMS FOR FOOD AND NON-FOOD CONTACT PAPER

Proxitane WW -12 provides an effective means to treat various process waters for slime control. Dosage rates should be increased or decreased depending on control achieved.

Maximum usage rate must not exceed 2 lbs Proxitane WW-12 solution per ton (2000 lbs., dry basis) of pulp or paper produced.

Limitations, Restrictions, and Exceptions

CONTROL OF ALGAL, FUNGAL, SLIME-FORMING BACTERIAL GROWTH IN AGRICULTURAL IRRIGATION SYSTEMS AND WATER

TREATMENT OF AGRICULTURAL IRRIGATION WATER AND DRAINAGE DITCHES

Use Proxitane WW -12 to treat water to suppress / control algae, bacteria, fungi and plant pathogenic organisms in agricultural irrigation and drainage water and ditches. For irrigation water, apply 0.6 to 1.3 fluid ounces of Proxitane WW -12 per 1,000 gallons of water. Product can be simply added to the body of water, as the residual control will allow for even distribution throughout the water column. Allow solution to disperse for five (5) minutes before irrigating. Apply Proxitane WW -12 as needed to control and prevent algae growth; apply more often in times of higher water temperatures.

Method

[N. A.](#)

Rates

[field_rates 0](#)

•

Timings

[N. A.](#)