

# **AGRICULTURAL IRRIGATION SYSTEMS AND WATER: TREATMENT OF AGRICULTURAL IRRIGATION SYSTEMS**

General Information

## **DIRECTIONS FOR USE**

### **CONTROL OF ALGAL, FUNGAL, AND BACTERIAL GROWTH IN PULP AND PAPER MILL SYSTEMS FOR FOOD AND NON-FOOD CONTACT PAPER**

Proxitane WW -12 provides an effective means to treat various process waters for slime control. Dosage rates should be increased or decreased depending on control achieved.

Maximum usage rate must not exceed 2 lbs Proxitane WW-12 solution per ton (2000 lbs., dry basis) of pulp or paper produced.

Limitations, Restrictions, and Exceptions

### **CONTROL OF ALGAL, FUNGAL, SLIME-FORMING BACTERIAL GROWTH IN AGRICULTURAL IRRIGATION SYSTEMS AND WATER**

#### **TREATMENT OF AGRICULTURAL IRRIGATION SYSTEMS**

Use Proxitane WW -12 to suppress / control algae, bacteria, fungi and plant pathogenic organisms in drip trickle irrigation systems, center pivot, lateral move, end tow, side wheel roll, traveler, solid set/overhead sprinklers, hand move or flood basin irrigation systems. Treat contaminated water at a dilution of 1:1000 -1:5,000. For maintenance, treat clean water with a dilution of 1:50,000 to 1:100,000 of Proxitane WW -12 as needed. Allow solution to disperse for five (5) minutes before irrigating. Refer to Chemigation Directions for Use for specific instructions on using this product through irrigation systems.

Method

[N. A.](#)

Timings

[N. A.](#)