

TREE CROPS - POST HARVEST

General Information

GENERAL INFORMATION:

Amino acid chelated Metalosate Calcium soluble powder is designed for foliar application on plants to prevent or correct nutrient deficiencies that may limit crop growth and yields. It is water soluble and nontoxic to plants when applied as directed. For best results, apply Metalosate Calcium soluble powder according to recommendations based on plant tissue or soil analysis.

DIRECTIONS:

Apply by a spray method and in an adequate amount of water that will provide complete coverage of the plants. Use of a nonionic wetting agent may improve spray coverage of certain hard to wet plants.

Metalosate Calcium soluble powder can be included in a regular spray program on crops. Consult with an Albion representative on compatibility with other spray materials.

The rate of application will depend on the crop, stage of growth, and severity of deficiency. The maximum recommended rates are for mature, full-sized plants. Reduce the rates proportionately when spraying smaller plants.

Metalosate Calcium soluble powder may be used on legumes, grain crops, root crops, cucurbits, cole crops, leafy vegetables, woody and herbaceous ornamentals, deciduous fruits, vine crops, tropical and subtropical fruits, and many other crops.

Limitations, Restrictions, and Exceptions

TREE CROPS

- For post-harvest fruit treatment, dilute at a rate of 35 to 70 ounces (1,000 to 2,000 grams) per 100 gallons of water.

Method

[Foliar spray](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

•

Timings

[Post-harvest](#)