

## **IN AND AROUND BUILDINGS, STRUCTURES, ETC. - WOOD-INFESTING PESTS**

### General Information

PRO FACTS: Ready-to-use, Low-odor, Non-staining

TEMPO 1% DUST Insecticide Ready To Use: Contains 1% cyfluthrin

CONTROLS: Ants, cockroaches, and other crawling pests, Bees and wasps, Pantry and stored product pests, Wood-infesting pests.

COVERAGE: Treats up to 2,500 square feet

WHERE TO APPLY: In and around buildings and structures

HOW TO APPLY: Directly in voids, cracks and crevices. For bees, wasps and ant mounds, see directions inside. Use appropriate dusting or injection equipment.

RE-APPLY: Every 7 to 10-days, if needed

### PEST

- For residual pest control in and around buildings, structures, non-food/feed areas of food/feed handling establishments and modes of transport. This includes houses, hotels, motels and other non-food areas of stores, warehouses, hospitals, food processing facilities, and modes of transport.

- The purpose of such applications of TEMPO 1% Dust for termites is to kill workers or winged reproductive forms which may be present in treated channels at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment, or foundation treatment, but merely a supplement. The product is not recommended as sole protection against termites. For active indoor termite infestations get a professional inspection.

### WHERE TO APPLY

- Apply where pests have been seen or found or can find shelter.

- In living areas, avoid deposits on exposed surfaces and avoid introducing the dust

into the air. Apply in wall voids, cracks and crevices; in or behind base boards, service ducts, false floors and ceilings; around electrical entrances, water and sewer pipe entrances; under and behind cabinets, refrigerators, and sinks; in equipment legs and bases; around window and door frames; in attics and crawl spaces.

#### HOW TO APPLY

- Apply directly into voids, cracks and crevices using hand or power dusters or other suitable equipment. Apply lightly and uniformly.

#### WHEN TO APPLY

- Every 7 to 10 days, if needed.

#### RESTRICTIONS

- In living areas, avoid deposits on exposed surfaces and avoid introducing the dust into the air.

- Do not use in aircraft cabins.

- Do not apply in any rooms while the elderly or infirm are present.

- Do not apply in occupied classrooms.

- Do not apply to clothing.

- Do not apply to food/feed areas of commercial food/feed handling establishments, restaurants, or other commercial establishments where food/feed is commercially prepared, processed or served.

- Do not apply to animal feedstuffs or watering equipment.

#### FOR FOOD/FEED HANDLING ESTABLISHMENTS

TEMPO 1% Dust applications are permitted in non-food/feed areas of food handling establishments only as a void or crack and crevice treatment. It is not permitted in the food/feed areas of food/feed handling establishments. Food/feed handling establishments are defined as places other than private residences where exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups)

of food. Serving areas where food is exposed and the facility is in operation are also considered food areas. Non-food/ non-feed handling areas of food/feed handling establishments include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Limitations, Restrictions, and Exceptions

IN AND AROUND BUILDINGS, STRUCTURES, ETC. - WOOD-INFESTING PESTS

APPLICATION FOR PESTS (WOOD-INFESTING)

-Termites and wood-infesting beetles: Apply to voids and galleries in damaged wood, in spaces between wooden structural members, and between the sill plate and foundation where wood is vulnerable. For inaccessible areas, drill into the damaged wood or wall voids and then inject dust using a suitable directional injector. Note that drilling and treating may not give complete coverage of infested and vulnerable voids or galleries.

- Termite carton nests: Termite carton nests in building voids may be injected with a pointed injection tool at varying depths. For best results, remove carton nests material when possible.

- Above-ground termites and carpenter ants: For control inside trees, utility poles, fencing and decking materials and similar structural members, drill to find the interior infested cavity and inject dust.

- Carpenter ants: Treat wall voids by access around electrical entrances, water lines or similar openings. Apply to voids, cracks and crevices in and around doors and windows, under fascia boards, top of sill plate, cracks and crevices in crawl space, under shingles, behind gutters, and other areas where carpenter ants may enter.

- Carpenter bees: Apply directly into gallery entrance holes. Leave entrance holes open for 24 hours after treatment to be sure that returning bees are also killed. When there is no activity, seal the hole with a suitable sealant.

Method

[Directed  
Injection](#)

Rates

[field\\_rates 0](#)

- 

Timings

[When pests are seen or found.](#)