

PESTS ON DOG PREMISES

General Information

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or for other commercial use, or for commercial seed

production or for research purposes.

Do not apply this product in enclosed areas.

Do not use food utensils to mix or apply this product.

Keep people and pets off treated areas until the spray has dried.

SHAKE WELL BEFORE USING

THREE STEPS TO MIX AND APPLY:

1. For lawns and vegetables, measure the area to be sprayed. Calculate square feet by

multiplying length by width. For all other applications, apply as a thorough cover spray.

2. Use a clean sprayer. Carefully measure and mix the amount of concentrate and water as directed.

3. Spray as directed. Thorough coverage is important. Flush sprayer with clean water after

each use. Make applications when insects first appear. Repeat applications as directed.

Use Dilution rate as indicated:

1 fl.oz. = 6 tsp. or 2 Tbsp.

8 fl.oz. = $\frac{1}{2}$ pt. or 1 cup

Limitations, Restrictions, and Exceptions

PESTS ON DOG PREMISES

(Kennels, Dog Houses, Runs and Yards)

Thoroughly spray infested areas, pet beds, and resting quarters. Fresh bedding should be placed in animal quarters following treatment. Most efficient pest control

is accomplished when heavy pressure and good contact is achieved. Timing and frequency of applications should be based on pest populations reaching nuisance levels, but accompanying manure removal and sanitation practices should precede sprays. Do not spray food, feed, or water. Repeat as needed but not more than once every two weeks.

Method

[Spray](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

[field_rates 2](#)

•

Timings

[Based on pest populations reaching nuisance levels, but accompanying manure removal and sanitation practices should precede sprays.](#)