

INSECTICIDE/MITICIDE - FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, SHRUBS

General Information

GENERAL INFORMATION

- Do not add adjuvants (spreaders, stickers, extenders, etc.) to Neem Oil.
- Stops powdery mildew in 24-hours.
- Kills eggs, larvae, and adult insects.
- Prevents and controls black spot on roses, anthracnose, rust and powdery mildew.
- Shake well before using.
- For best results, maintain constant agitation in spray equipment.
- Neem Oil is most effective when applied in early to mid-morning or late afternoon when adult pests, such as whiteflies are normally sedentary on the undersides of the foliage.
- Spray solutions should be used within several hours of preparation for maximum effectiveness. Do not store diluted solution for later use.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment.
- Do not apply to known sensitive plant species, such as impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, or some carnation varieties without prior testing.
- As with other oil-based products, care should be exercised in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue. Check for leaf burn in small scale trials prior to use.
- Thorough coverage is necessary to provide good disease and mite control. Neem

Oil prevents fungal attack of plant tissue and contact activity to mite pressure on the plant. Avoid excessive runoff of spray material for maximum control.

Keep unprotected persons out of treated area until sprays have dried.

Limitations, Restrictions, and Exceptions

INSECTICIDE/MITICIDE - FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, SHRUBS

APPLICATION INSTRUCTIONS:

Neem Oil is most effective when applied every 7 to 14 days. For heavy insect populations, spray on a 7 day schedule.

MIXING INSTRUCTIONS:

Mix Neem Oil at the rate of 2 tablespoons (1 ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

Method

[Spray](#)

Rates

[field rates 0](#)

[field rates 1](#)

•

Timings

[At first sign of insects/mites.](#)