

## **GENERAL USE - AERIAL APPLICATION**

### General Information

GENERAL: FRANCHISE is a non-ionic, low foam penetrating surfactant. FRANCHISE is designed to enhance the activity and effectiveness of strobilurin fungicides. FRANCHISE improves coverage and penetration of spray solutions. FRANCHISE is compatible with most pesticide formulations including water-soluble, flowable and wettable powders. For tank mix compatibility concerns, conduct a jar test of the proposed mixture to ensure compatibility of all components. Mix components in the same ratio as the proposed tank mix. Application may be by ground or air.

DIRECTIONS FOR USE: FRANCHISE may be used on and has demonstrated excellent plant safety on a wide variety of crops including fruits, tree fruits, vegetables, row crops, citrus, small grains, forage crops, vine crops and others. FRANCHISE may be used in a variety of non-crop sites including Forestry (site preparation and release), Industrial (storage areas, plant sites, and other similar areas including governmental and private lands), Grasslands (including pastures, rangeland and fence rows), Rights-of-way (utility, railroad and roadsides), Turf (golf courses, parks, and sod farms), Ornamentals (container, field or greenhouse) and other turf, ornamental and landscaping sites. Some pesticides have stated adjuvant use rates. In all cases, the pesticide manufacturer's label should be consulted regarding specific adjuvant use recommendations and that rate followed. Do not add adjuvant at a level that would exceed 5% of the finished spray volume unless otherwise specified by the pesticide label. Not for aquatic use.

Note: This product has demonstrated excellent plant safety; however, not all species and varieties of plants have been tested. Before treating a large area, test on a small area and observe prior to full-scale application.

Environmental Hazards: Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### Limitations, Restrictions, and Exceptions

GENERAL USE:

- 1 to 2 qts/100 gallons of spray mixture or Aerial: 1 to 2 oz/acre;
- Do not exceed 150 gallons total carrier volume.

Note: This product has demonstrated excellent plant safety; however, not all species and varieties of plants have been tested. Before treating a large area, test on a small area and observe prior to full-scale application.

Method

[Broadcast/Foliar Air](#)

Rates

[field\\_rates 0](#)

•

Timings

[N.A.](#)