

FOLIAR APPLICATION

General Information

GENERAL INFORMATION

Plant Plus is manufactured for direct soil use on all crops. It may be combined with most soil applied liquid fertilizers. Plant Plus should be injected directly into the root zone. It should be injected at least one week prior to irrigation. Drip irrigation systems can be used to apply Plant Plus into the active root zone. Plant Plus is non-phytotoxic when used as directed.

CAUTION: Do not apply with calcium based fertilizers such as CAN 17. Fertilizer solutions with a pH of 5 or less may not be compatible. Combining with liquid fertilizer solutions is more effective if done at a blending plant. Do not apply with aqua ammonia.

CAUTION: Foliar application of Plant Plus close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.

DIRECTIONS FOR USE

Plant Plus may be applied to most vegetable and cucurbit crops, field and row crops, deciduous fruit and nut trees, grapes, berries, olives, avocados and citrus. Plant Plus may be applied to the soil or used as a dilute foliar spray and may be applied through center pivot and other irrigation systems.

Mixing with irrigation water for field storage is generally not recommended.

Products blended with irrigation water should be used immediately and not stored for prolonged periods.

Plant Plus is designed for soil and foliar use to enhance plant growth including earlier bloom and fruit formation.

Limitations, Restrictions, and Exceptions

FOLIAR APPLICATION RATES

Plant Plus may be applied by air or ground as a dilute spray. Use the appropriate

volume of water for the application method and the crop. Apply in a water volume for thorough coverage of plant foliage, 10 gallons per acre minimum. Repeat applications may be beneficial.

ALL CROPS: Apply 1 to 8 quarts per acre per application. Repeat applications as needed with at least 10 days between applications.

Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

Rates

[field_rates 0](#)

•

Timings

[N.A.](#)