

## **OUTDOOR APPLICATIONS - FLEAS**

### General Information

### Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product while bees are foraging. DO NOT apply this product to plants that are flowering. Only apply after all flower petals have fallen off.

### Use Restrictions

- DO NOT apply within aircraft cabins.
- DO NOT use in outdoor residential misting systems.
- DO NOT apply to humans or their clothing or to mattresses. DO NOT allow children or pets to contact treated surfaces until spray has dried.
- DO NOT apply to household pets. Cover fish tanks prior to application near tanks.
- DO NOT apply this product in patient rooms while occupied.
- DO NOT apply to classrooms when in use.
- When applying in residential or commercial structures, DO NOT contaminate food, feed stuffs or water supply. DO NOT contaminate food preparation surfaces, kitchen utensils, dishes or food/feed storage containers. Cover any food/feed contact surfaces and cooking utensils in the treatment area before treatment or thoroughly clean after treatment and before using.
- Apply to the point just prior to runoff. DO NOT allow applications of product to drip or run from surfaces.
- When applying to structural areas in and around livestock housing, remove animals or treat in areas where animals are not present. DO NOT apply to animals. DO NOT allow insecticide to drift onto animals. DO NOT contaminate milk, food or drinking water.

### Product Information

This product is a water-soluble granule containing the non-repellent active ingredient dinotefuran. Apply indoors and/or outdoors via crack and crevice, spot or surface application for the listed pests and use sites.

## Mixing Instructions

Thoroughly clean spray equipment before mixing and application of this product.

Add approximately 1/2 of the water to the spray tank. Add 10 to 30 grams of product to water per 1,000 square foot area being treated (1 Tablespoon = 10 grams), then complete the filling of the spray tank. Agitate the tank until the product is completely dissolved. Reagitate finished dilution if application is interrupted for an extended period of time.

## Void/Crack & Crevice Application

Apply into cracks, crevices and voids with equipment designed for such applications. Follow the manufacturer's recommendations for proper equipment set-up and operating pressures. Place the tip of the applicator at or into the crack, crevice or void to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push the finished dilution into voids and/or cracks and crevices. Apply in such a manner to avoid dripping and runoff.

## Limitations, Restrictions, and Exceptions

### Outdoor Applications

Dilute to the proper concentration according to targeted pest infestation. Follow the mixing directions found in the SPRAY DILUTION CHART. Use one gallon of finished dilution per 1,000 square feet.

DO NOT apply this product, by any application method, to linden, basswood or other Tilia species in the State of Oregon.

### Rates

- When a rate range is indicated, use the lower rate for maintenance applications and the higher rates for heavy infestations.
- Refer to SPRAY DILUTION CHART for concentration of active ingredient in finished product.

## Application Instructions

Apply to yards, porches, patios or other areas of habitation for fleas, especially areas that pets frequent, directly contacting fleas. Pay particular attention to shaded areas with low protective covering such as under bushes, under decks, lawn furniture, lawn ornaments and other landscape materials. Apply to pet entry areas such as steps and stoops and other areas where pets rest or sit for extended

periods of time, directly contacting fleas.

DO NOT treat pets with this product.

Method

[Directed](#)

Rates

[field rates 0](#)

- 

Timings

[N.A.](#)