

## **SMALL FRUITS AND BERRIES**

### General Information

#### GENERAL INFORMATION

##### Use around Ornamentals

- 1/4 Pound covers 1,000 sq. ft.
- With SNARE, A Powerful Attractant. Lures slugs & snails to Deadline Ornamental and away from listed plants.
- Rain and Irrigation Resistant
- Deadline Ornamental will withstand up to six inches of rainfall or heavy watering over 14 days
- May stain masonry and rockwork in gardens

#### PRECAUTIONS AND RESTRICTIONS

Do not allow product to come in contact with plants.

For best results, apply in evening following rain or watering.

Keep people and pets out of the areas during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested.

Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible.

Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.

Application to turf and dichondra are prohibited. Application is permitted only to non-turf areas (i.e., on soil or mulch) directly surrounding plants listed on the label.

Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit bearing plants not listed on the label.

Do not reuse measuring utensils for food use.

Do not allow the product to form piles during application as these may attract pets.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- Eliminating hiding places by removing leaf litter and debris in the garden;
- Removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
- Watering in the morning to reduce humidity during the night when snails and slugs are active.

## APPLICATIONS

Apply as an outdoor soil surface treatment. For best results, evenly distribute in a 1 ft. wide area.

Apply this product in areas likely to be infested at the beginning of the spring planting season before damage occurs and during periods of damp weather. The maximum number of applications allowed per season are listed below with each crop. For best results, apply in evening. Especially beneficial if applied following rain or watering since slugs and snails will not crawl over dry soil.

For extremely tender plants it is suggested to do a small test application to determine any plant sensitivity before making an application around the plants.

## Limitations, Restrictions, and Exceptions

### SMALL FRUITS AND BERRIES

Maximum Pellets per Square Foot: 12

Re-application Interval (days):14

### Method

#### [Soil Surface Treatment](#)

-

## Timings

At the beginning of the spring planting season before damage occurs and during periods of damp weather.