

ALL CROPS INCLUDING TREE AND VINE - FOLIAR APPLICATION

General Information

GENERAL INFORMATION

8% AM COPPER was developed to be used by itself, or in combination with neutral fertilizers, both at planting time, and during the growing season, for the purpose of providing the nutrient copper to crops. Extreme care should be exercised regarding the timing, rate, method of application, and crop sensitivity. 8% AM COPPER may be applied with crop protection chemicals i.e. herbicides, insecticides, and fungicides. It is important to consider climatic conditions prior to application, and anticipated accumulative amount applied for the season. Always consult your local crop advisor prior to application.

DIRECTIONS FOR USE: Apply as needed based on soil tests or according to recommendations in your nutrient management plan.

Limitations, Restrictions, and Exceptions

GENERAL APPLICATION RATES

ALL CROPS INCLUDING TREE AND VINE:

8% AM COPPER may be applied to soil by broadcasting, shank, or through irrigation water. Seek the advice of your local advisor for rate of application.

FOLIAR APPLICATION:

Apply 8% AM COPPER by ground or air on all crops at the rate of 1 to 4 pints per acre in sufficient water to achieve thorough coverage. To insure uniform application use a quality wetting agent.

Phytotoxicity may occur when using copper products, including various tank mix combinations. For fertilizer tank mix combinations, use only neutral fertilizers. Always consult your local crop advisor as to any precautionary measures prior to application.

Method

Broadcast/Foliar Air

Broadcast/Foliar Ground

Rates

field rates 0

-

Timings

Both at planting time, and during the growing season.