

NORMAL APPLICATIONS

General Information

DIRECTIONS FOR USE

BRANDT SIDEKICK is an emulsion of 93% cottonseed oil and 7% emulsifiers that may be used on agricultural, forestry, turf and ornamental, industrial, rights of way, and non-cropland sites. This product improves deposition and crop canopy penetration of pesticide spray applications. It is formulated to increase the coverage of pesticide sprays and to reduce evaporation of the spray mixture on plant surfaces after application. This product is well suited for aerial applications and ground applications using low volumes of water or where the vegetable oil concentrate acts as a carrier in the pesticide spray mixture.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with BRANDT SIDEKICK. Use according to the most restrictive label directions for each product in any tank mix.

COMPATIBILITY: BRANDT SIDEKICK is compatible with most pesticides and foliar nutrients. However, if the desired combination has not been previously used, a compatibility test is recommended.

MIXING: Shake well before using. For liquid formulations, premix the recommended amount of BRANDT SIDEKICK with the pesticide, then add enough water to provide the desired application volume. For wettable powder formulations, premix the pesticide with water, add the recommended amount of BRANDT SIDEKICK, then add enough water to provide the desired application volume. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

RECOMMENDATIONS: Specific use rates will vary with conditions of application such as water, hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume, except when used as a diluent/carrier.

Limitations, Restrictions, and Exceptions

Normal Applications: Use 1-2 quarts in 5-20 gallons of water per acre, not to exceed 5% volume.

Method

[Spray](#)

Timings

[n/a](#)