

## **SPOT SPRAY - WEEDS GREATER THAN 6" IN HEIGHT AND/OR GRASSES THAT HAVE TILLERED**

### General Information

#### PRODUCT INFORMATION

FINALE VU HERBICIDE is a non-selective water soluble herbicide for general weed control on terrestrial non-crop sites and for site preparation in conifer and hardwood production areas. Foliar applications may be made on a broadcast, banded, or spot treatment basis depending on the situation. FINALE VU HERBICIDE can be tank mixed with other herbicides registered for similar uses. When tank mixing, use the most restrictive limitations from the labeling of both products.

When applied as recommended in this label, FINALE VU HERBICIDE controls a broad spectrum of emerged annual and perennial grasses and broadleaf weeds, including many terrestrial and riparian invasive and noxious weeds. FINALE VU HERBICIDE will also control or suppress certain woody species (trees, brush, and vines) including conifers. Plants that have not yet emerged at the time of application will not be controlled. THOROUGH SPRAY COVERAGE IS IMPORTANT. Visual effects and control from application of FINALE VU HERBICIDE occur within 2 to 4 days after application under good growing conditions. Avoid all contact, including direct spray and drift, with foliage or green tissue of desirable plants including green, thin or uncalloused bark. This product is nonselective and will injure or kill all green vegetation contacted by the spray. If desirable vegetation is contacted, rinse the sprayed portion with water immediately.

FINALE VU HERBICIDE works best when weeds are actively growing. Weed control may be reduced when applications are made to weeds under stress due to drought or cool temperatures. Weeds under stress or in dense populations require application at the highest recommended rate. Regrowth may occur due to the weed's growth stage at application, use rate, or environmental conditions.

Repeat treatments may be necessary to control plants generating from underground reproductive parts or seed.

Aerial applications of FINALE VU HERBICIDE should be made only under the

conditions specified within this label.

FINALE VU HERBICIDE is rainfast in a minimum of one-half hour and an average of 4 hours after application depending upon weed species, environmental conditions, and herbicide application rate.

#### USE PRECAUTIONS

DO NOT apply more than 6 quarts of FINALE VU HERBICIDE per acre per year.

DO NOT apply this product through any type of irrigation system.

DO NOT apply directly to or allow drift to contact desirable green tissue or green, thin, or uncalloused bark of desirable vegetation.

DO NOT allow grazing of vegetation treated with this product.

#### HOW TO MIX

FINALE VU HERBICIDE must be mixed with water to make a finished spray solution as follows:

1. Fill the spray tank with the required amount of water.
2. Add the proper amount of this product, then mix thoroughly.

#### HOW TO APPLY

##### Spot or Directed Applications

This product may be used as a spot- or directed-spray application. Prepare the desired volume of spray solution by mixing FINALE VU HERBICIDE in water with the amounts indicated in the following table: Table 1. Amount of FINALE VU HERBICIDE added to water to make 1, 25, or 100 gallons of spray solution at dosages of 1-6%. See Table 2 for % solution to use based on target vegetation.

Select appropriate solution and spray undesirable vegetation foliage on a spray-to-wet basis. Do not apply beyond runoff. Ensure uniform and complete coverage. Use a coarse spray. To minimize drift, avoid spraying during windy conditions. Backpack, pumpup, and hydraulic sprayers may be used. Thoroughly clean the sprayer following use.

##### Broadcast or Boom Applications

Use a minimum of 20 gallons of water per acre with spray pressures no greater than are required to obtain adequate plant coverage.

##### Aerial Applications (Helicopter Application only)

Use a drift control device such as a "Microfoil", "Thru Valve-Boom" or equivalent drift control system when applying as a foliar treatment to utility rights-of-way, tree

production areas, ditch banks or other approved sites that may be near susceptible crops. The application volume required will vary with the height and density of the vegetation and the application equipment used. Generally, aerial applications will require a minimum of 15 gallons per acre to ensure thorough coverage. Do not apply when winds are gusty or under any condition which favor drift on to desirable vegetation. Applications under conditions, which cause drift of this product, will result in damage to vegetation contacted. Drift control additives may be used. If a drift control additive is used, observe and follow all directions and precautions as specified on the additive label.

#### Limitations, Restrictions, and Exceptions

#### USES

##### Non-Selective Weed Control

FINALE VU HERBICIDE is labeled for general weed and brush control on private, public and military lands as follows: uncultivated non-agricultural areas (such as airports, highway, railroad and utility rights-of-way, sewage disposal areas, etc.); uncultivated agricultural areas - non-crop producing (such as farmyards, fuels storage areas, fence rows, non-irrigation ditchbanks, barrier strips, etc.); industrial sites - outdoor (such as lumberyards, pipeline, and tank farms, etc.) and natural areas (such as wildlife management areas, wildlife openings, wildlife habitats).

Refer to the How to Apply section of this labeling for appropriate application rates to control specific weeds.

##### Side Trimming

To control only a portion of the plant, direct the spray solution to thoroughly cover (spray to wet) only the portion of the plant to be controlled. Do not apply more than 6 quarts of FINALE VU HERBICIDE per acre when side trimming.

## Site Preparation for Conifer and Hardwood Production Areas

When applied as recommended on this label, this product may be used for the control of undesirable plants in site preparation prior to planting conifer and hardwood species. Do not apply FINALE VU HERBICIDE as an over-the-top broadcast spray to desirable conifer or hardwood plantings. Seedling conifer and hardwood trees may be planted into the treated area after the restricted entry interval (REI) of 12 hours has elapsed. Refer to the How to apply section of this labeling for the appropriate application rates to control specific weeds.

## Broadleaf and Grass Weeds Controlled by FINALE VU HERBICIDE

For postemergence control of the weeds listed in the table of the label, apply FINALE VU HERBICIDE at the recommended rates for broadcast or spot applications based on weed size and stage of growth.

### Method

[Spot Spray](#)

### Restricted Entry Interval

12 hours

### Timings

[Postemergence \(Weed\)](#)