

# **BRUSH CONTROL**

## General Information

### PRODUCT INFORMATION

FINALE VU HERBICIDE is a non-selective water soluble herbicide for general weed control on terrestrial non-crop sites and for site preparation in conifer and hardwood production areas. Foliar applications may be made on a broadcast, banded, or spot treatment basis depending on the situation. FINALE VU HERBICIDE can be tank mixed with other herbicides registered for similar uses. When tank mixing, use the most restrictive limitations from the labeling of both products.

When applied as recommended in this label, FINALE VU HERBICIDE controls a broad spectrum of emerged annual and perennial grasses and broadleaf weeds, including many terrestrial and riparian invasive and noxious weeds. FINALE VU HERBICIDE will also control or suppress certain woody species (trees, brush, and vines) including conifers. Plants that have not yet emerged at the time of application will not be controlled. THOROUGH SPRAY COVERAGE IS IMPORTANT. Visual effects and control from application of FINALE VU HERBICIDE occur within 2 to 4 days after application under good growing conditions. Avoid all contact, including direct spray and drift, with foliage or green tissue of desirable plants including green, thin or uncalloused bark. This product is nonselective and will injure or kill all green vegetation contacted by the spray. If desirable vegetation is contacted, rinse the sprayed portion with water immediately.

FINALE VU HERBICIDE works best when weeds are actively growing. Weed control may be reduced when applications are made to weeds under stress due to drought or cool temperatures. Weeds under stress or in dense populations require application at the highest recommended rate. Regrowth may occur due to the weed's growth stage at application, use rate, or environmental conditions.

Repeat treatments may be necessary to control plants generating from underground reproductive parts or seed.

Aerial applications of FINALE VU HERBICIDE should be made only under the conditions specified within this label.

FINALE VU HERBICIDE is rainfast in a minimum of one-half hour and an average of 4 hours after application depending upon weed species, environmental conditions, and herbicide application rate.

#### USE PRECAUTIONS

DO NOT apply more than 6 quarts of FINALE VU HERBICIDE per acre per year.

DO NOT apply this product through any type of irrigation system.

DO NOT apply directly to or allow drift to contact desirable green tissue or green, thin, or uncalloused bark of desirable vegetation.

DO NOT allow grazing of vegetation treated with this product.

#### HOW TO MIX

FINALE VU HERBICIDE must be mixed with water to make a finished spray solution as follows:

1. Fill the spray tank with the required amount of water.
2. Add the proper amount of this product, then mix thoroughly.

#### Limitations, Restrictions, and Exceptions

#### USES

##### Non-Selective Weed Control

FINALE VU HERBICIDE is labeled for general weed and brush control on private, public and military lands as follows: uncultivated non-agricultural areas (such as airports, highway, railroad and utility rights-of-way, sewage disposal areas, etc.); uncultivated agricultural areas – non-crop producing (such as farmyards, fuels storage areas, fence rows, non-irrigation ditchbanks, barrier strips, etc.); industrial sites – outdoor (such as lumberyards, pipeline, and tank farms, etc.) and natural areas (such as wildlife management areas, wildlife openings, wildlife habitats).

Refer to the How to Apply section of this labeling for appropriate application rates to control specific weeds.

##### Side Trimming

To control only a portion of the plant, direct the spray solution to thoroughly cover (spray to wet) only the portion of the plant to be controlled. Do not apply more than

6 quarts of FINALE VU HERBICIDE per acre when side trimming.

#### Site Preparation for Conifer and Hardwood Production Areas

When applied as recommended on this label, this product may be used for the control of undesirable plants in site preparation prior to planting conifer and hardwood species. Do not apply FINALE VU HERBICIDE as an over-the-top broadcast spray to desirable conifer or hardwood plantings. Seedling conifer and hardwood trees may be planted into the treated area after the restricted entry interval (REI) of 12 hours has elapsed. Refer to the How to apply section of this labeling for the appropriate application rates to control specific weeds.

#### Brush Control Use Directions

FINALE VU HERBICIDE will provide control or suppression of the perennial woody species (brush) listed below. Use FINALE VU HERBICIDE at rates from 2 to 6 quarts per acre to impact the growth of woody plants and not to exceed 6 gallons per acre per year. Nonionic surfactants (NIS) or methylated seed oils (MSO) may be used when making foliar applications. Follow any special instructions on the surfactant manufacturer's label.

For hard-to control woody plants such as elm, certain oaks or when plant leaf surfaces have hardened off, use the higher rate of FINALE VU HERBICIDE or tank mix FINALE VU HERBICIDE with other herbicides registered for control of these woody plants. High recommended rates per acre of this product should be used when conditions are not optimum for spray coverage, such as when weed growth is heavy or dense. Lower recommended rates should be used when the target species is conifer and when vegetation growth conditions allow for uniform spray coverage.

#### Foliar Treatments With Ground Equipment

##### High Volume Applications

Use high volume applications for optimum performance when spraying medium to high density vegetation. Use equipment calibrated to deliver 50 to 100 gallons of finished spray per acre. Do not apply more than 6 quarts of FINALE VU HERBICIDE per acre. For best results, make sure that the targeted plant foliage is thoroughly covered.

##### Low Volume Applications

Use low volume applications when brush height is less than 6 feet and brush cover is less than 60% of the area. Use equipment calibrated to deliver 10 to 50 gallons of

finished spray per acre. Do not apply more than 6 quarts of FINALE VU HERBICIDE per acre.

#### Broadcast Applications With Ground Equipment

Use equipment calibrated to deliver 20 - 100 gallons of finished spray per acre. The amount of spray solution to use will depend on the height and density of the brush. Use spray nozzles and equipment that will provide thorough coverage of the targeted brush species.

#### Method

[Broadcast/Foliar Ground](#)

Restricted Entry Interval

12 hours

#### Timings

[Postemergence \(Weed\)](#)