

WEED CONTROL IN DORMANT ROADSIDE BERMUDAGRASS TURF

General Information

PRODUCT INFORMATION

FINALE VU HERBICIDE is a non-selective water soluble herbicide for general weed control on terrestrial non-crop sites and for site preparation in conifer and hardwood production areas. Foliar applications may be made on a broadcast, banded, or spot treatment basis depending on the situation. FINALE VU HERBICIDE can be tank mixed with other herbicides registered for similar uses. When tank mixing, use the most restrictive limitations from the labeling of both products.

When applied as recommended in this label, FINALE VU HERBICIDE controls a broad spectrum of emerged annual and perennial grasses and broadleaf weeds, including many terrestrial and riparian invasive and noxious weeds. FINALE VU HERBICIDE will also control or suppress certain woody species (trees, brush, and vines) including conifers. Plants that have not yet emerged at the time of application will not be controlled. THOROUGH SPRAY COVERAGE IS IMPORTANT. Visual effects and control from application of FINALE VU HERBICIDE occur within 2 to 4 days after application under good growing conditions. Avoid all contact, including direct spray and drift, with foliage or green tissue of desirable plants including green, thin or uncalloused bark. This product is nonselective and will injure or kill all green vegetation contacted by the spray. If desirable vegetation is contacted, rinse the sprayed portion with water immediately.

FINALE VU HERBICIDE works best when weeds are actively growing. Weed control may be reduced when applications are made to weeds under stress due to drought or cool temperatures. Weeds under stress or in dense populations require application at the highest recommended rate. Regrowth may occur due to the weed's growth stage at application, use rate, or environmental conditions.

Repeat treatments may be necessary to control plants generating from underground reproductive parts or seed.

Aerial applications of FINALE VU HERBICIDE should be made only under the conditions specified within this label.

FINALE VU HERBICIDE is rainfast in a minimum of one-half hour and an average of 4 hours after application depending upon weed species, environmental conditions, and herbicide application rate.

USE PRECAUTIONS

DO NOT apply more than 6 quarts of FINALE VU HERBICIDE per acre per year.

DO NOT apply this product through any type of irrigation system.

DO NOT apply directly to or allow drift to contact desirable green tissue or green, thin, or uncalloused bark of desirable vegetation.

DO NOT allow grazing of vegetation treated with this product.

HOW TO MIX

FINALE VU HERBICIDE must be mixed with water to make a finished spray solution as follows:

1. Fill the spray tank with the required amount of water.
2. Add the proper amount of this product, then mix thoroughly.

Limitations, Restrictions, and Exceptions

Weed Control in Dormant Roadside Bermudagrass Turf

FINALE VU HERBICIDE may be used to control ryegrass and other winter annual weeds in unimproved, dormant roadside Bermudagrass turf. Apply only when the turf is fully dormant and prior to spring green-up or turfgrass injury or delayed green-up may occur. For best results, apply FINALE VU HERBICIDE at a rate of 3 to 6 quarts per acre after most weeds have germinated and are in an early growth stage. Refer to the Broadleaf and Grass Weeds Controlled by FINALE VU HERBICIDE section of this label for selecting recommended rates. Do not apply more than 6 quarts of FINALE VU HERBICIDE per acre per year for this use. Avoid high volume and spot applications where spray volume exceeds 80 gallons per acre or injury or delayed green-up may occur.

Method

[Broadcast/Foliar Air](#)

Restricted Entry Interval

12 hours

Timings

[After most weeds have germinated and are in an early growth stage.](#)