

OUTDOOR TREATMENTS - PERIMETER TREATMENT

General Information

HOW TO USE BASF CRACK & CREVICE INJECTION SYSTEM

CRACK & CREVICE TREATMENTS: Use only with the supplied actuator and injection tubes. Inject into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately 1 sec of product. For light infestations, move injector tip along cracks while treating at the rate of 3 ft/sec. For heavy infestations, move injector tip along at 1 ft/sec. For closed voids, calculate the void's cubic area and treat at the rate of 5 to 10 sec/3 ft³. Several holes may be required in long running voids.

SPOT TREATMENTS: To make a spot treatment, release product onto the surface. DO NOT exceed 2 ft² for each spot treatment.

Limitations, Restrictions, and Exceptions

OUTDOOR TREATMENTS

PERIMETER TREATMENT: For crawling insects, apply to cracks and crevices where insects may enter premises. Areas to be treated include, but are not limited to, weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes. Treatment of infested fences and tree holes is permitted.

To help prevent infestations of buildings, treat a band of soil 6 to 10 ft wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 ft where pests are active and may find entrance. A rate of 14 sec/100 ft² is desirable.

CRAWLING INSECTS: For treatment of localized infestations of these insects in outdoor areas which are landscaped, planted, mulched or unmaintained, treat infested areas. For ants, wet hills and runways. Treatment of infested fences and tree holes is permitted.

Method

Band application

Timings

N.A.