

# INDOOR AND OUTDOOR TREATMENTS - CARPENTER ANTS

## General Information

### HOW TO USE BASF CRACK & CREVICE INJECTION SYSTEM

CRACK & CREVICE TREATMENTS: Use only with the supplied actuator and injection tubes. Inject into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately 1 sec of product. For light infestations, move injector tip along cracks while treating at the rate of 3 ft/sec. For heavy infestations, move injector tip along at 1 ft/sec. For closed voids, calculate the void's cubic area and treat at the rate of 5 to 10 sec/3 ft<sup>3</sup>. Several holes may be required in long running voids.

SPOT TREATMENTS: To make a spot treatment, release product onto the surface. DO NOT exceed 2 ft<sup>2</sup> for each spot treatment.

## Limitations, Restrictions, and Exceptions

### INDOOR AND OUTDOOR TREATMENTS

CARPENTER ANTS: Locate source of infestation. Inject 5 to 10 sec of product into insect tunnels and cavities. Treat trails, points of entry or exits from voids such as around doors and windows. Treatment of trails on tree trunks or fences is permitted.

## Method

[Injection](#)

Timings

[N.A.](#)