

OUTDOOR TREATMENTS - AERIAL TERMITE CARTON IN TREES

General Information

HOW TO USE BASF CRACK & CREVICE INJECTION SYSTEM

CRACK & CREVICE TREATMENT: Use with the supplied actuator and injection tubes or other BASF equipment. Inject into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately 1 sec of product. For light infestations, move injector tip along cracks while treating at the rate of 3 In ft/sec. For heavy infestations, move injector tip along at 1 In ft/sec. For closed voids, calculate the void's cubic area and treat at the rate of 1 to 5 sec/3ft³. Several holes may be required in long-running voids.

SPOT TREATMENT: Use with the supplied actuator and injection tubes or other BASF equipment. Hold container upright while spraying. Direct nozzle approximately 12" from surface to be treated. Apply directly on insects in these locations when possible.

Limitations, Restrictions, and Exceptions

OUTDOOR TREATMENTS

AERIAL TERMITE CARTON IN TREES: Drill or punch hole into center of carton. Inject for 5 to 10 sec. If carton is greater than 12" across, open another injection site. Inject for 5 to 10 sec. Make one additional injection site for each 12" of carton.

Method

[Injection](#)

Timings

[N.A.](#)