

# **FOR USE AS DIP - AZALEA AND RHODODENDRON**

General Information

ORNAMENTALS

PRODUCT INFORMATION

RESTRICTIONS

Do not mix OHP CHIPCO 26019 with any product labeled against such mixing.

Do not exceed a total of 17.6 ounces OHP CHIPCO 26019 product per 1,000 square feet per year.

Do not make more than 6 applications per year.

Do not apply this product to more than 80 acres of ornamentals per day.

NOT FOR RESIDENTIAL USE

FIELD, LANDSCAPE AND GREENHOUSE ORNAMENTALS AND CONIFER NURSERIES

OHP CHIPCO 26019 is a broad spectrum fungicide that may be applied safely to a wide range of ornamental flowering and foliage plants, either as a foliar spray, drench or dip. Please read specific instructions and use only as directed.

- Conifer Nurseries not registered for use in California.

TANK MIXTURES FOR ADDITIONAL DISEASE CONTROL

Label dosage rates not to be exceeded. OHP CHIPCO 26019 is compatible with most commonly used fungicides. Follow label directions for the companion product and apply at the rate listed for control of the target disease organism.

INTENDED FOR USE BY COMMERCIAL NURSERY AND LANDSCAPE PERSONNEL.

PLANT TOLERANCE: Plant tolerances to OHP CHIPCO 26019 have been found to be acceptable in the specific genera and species listed on this label. It is not possible to evaluate every species or variety of ornamental plant for its tolerance to OHP CHIPCO 26019. The user should test for possible phytotoxic responses in other

plants on a small area basis using recommended rates prior to commercial use.

OHP CHIPCO 26019 is for use on a wide variety of container and field grown flowering and foliage ornamentals as follows:

#### RESTRICTIONS

Do not use OHP CHIPCO 26019 as a soil drench on Impatiens or Pothos. Do not use OHP CHIPCO 26019 on Spathiphyllum.

Blossom Blight, Botrytis Storage Rot, Wilt: Not registered for use in California.

#### RESTRICTIONS

Do not use OHP CHIPCO 26019 as a soil drench on Impatiens or Pothos. Do not use OHP CHIPCO 26019 on Spathiphyllum.

Cistena Plum, Daffodils, Impatiens, Pothos: Not registered for use in California.

#### DIRECTIONS THROUGH SPRINKLER IRRIGATION SYSTEMS FOR ORNAMENTAL USE ONLY

Do not use through irrigation systems in California.

Apply this product only through sprinkler irrigation systems including center pivot and solid set. Do not apply this product through any other type of irrigation system.

**SPRAY PREPARATION:** Remove scale, pesticide residues, and other foreign matter from the chemical tank and entire injector system. Flush with clean water.

**APPLICATION INSTRUCTIONS:** First prepare a suspension of OHP CHIPCO 26019 in a mix tank. Fill tank with 1/2 to 3/4 the desired amount of water. Start mechanical or hydraulic agitation.

Add the required amount of OHP CHIPCO 26019, and then the remaining volume of water. (Use before suspension concentrations using the appropriate dosage per acre listed on this label of OHP CHIPCO 26019 per 1 to 4 gallons of water). Then set sprinkler to deliver 0.1 to 0.3 inch of water per acre. Start sprinkler and uniformly inject the suspension of OHP CHIPCO 26019 into the irrigation water line so as to deliver the desired rate per acre. The suspension of OHP CHIPCO 26019 should be injected with a positive displacement pump into the main line ahead of a right angle turn to insure adequate mixing. If you should have any other questions about

calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.

NOTE: When treatment with OHP CHIPCO 26019 has been completed, further field irrigation over the treated area should be avoided for 24 to 48 hours to prevent washing the chemical off the crop.

#### DIRECTIONS FOR APPLICATIONS THROUGHSPRINKLER IRRIGATION SYSTEMS

Maintain continuous agitation in mix tank during mixing and application to assure a uniform suspension.

Greater accuracy in calibration and distribution will be achieved by injecting a larger volume of a more dilute solution per unit time.

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shutdown. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected. Systems must use a metering pump, such as a positive displacement injection pump (e. g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift, when system connection or fittings leak, when nozzles do not provide uniform distribution or when lines containing the product must be dismantled and drained.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop may result

from nonuniform distribution of treated water.

Allow sufficient time for pesticide to be flushed through all lines and all nozzles before turning off irrigation water. A person knowledgeable of the chemigation system and responsible for its operation shall shut the system down and make necessary adjustments should the need arise.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the label-prescribed safety devices for public water supplies are in place.

#### Limitations, Restrictions, and Exceptions

##### DIP DURATION

- 5 minutes

##### DIRECTIONS

Dip cuttings prior to planting

##### Method

[Dip](#)

##### Restricted Entry Interval

12 hours

##### Timings

[Preplant](#)