

OLIVES - TRUNK BASAL SPROUTS AND ROOT SUCKERS

General Information

DIRECTIONS FOR USE

Proper pruning of young non-bearing trees promotes the growth and development of strong, well-spaced branches that can support more larger sized fruit, resist wind and ice damage, improve spray penetration for better insect and disease control and improve light penetration for better fruit set, size and color. Non-bearing citrus trees sprout vigorously from the rootstock and from pruning cuts made on hard wood branches. Tre-Hold Sprout Inhibitor controls sprouting from pruning cuts, trunks, and rootstocks. Tre-Hold Sprout Inhibitor is a ready to use product. Do not allow Tre-Hold Sprout Inhibitor to contact buds or foliage as injury may result. Mix thoroughly before using.

Limitations, Restrictions, and Exceptions

OLIVES

TRUNK BASAL SPROUTS AND ROOT SUCKERS

(Do not treat scaffold branches or pruning cuts on olive trees). Prune off existing sprouts or suckers and allow new sprouts to regrow. Treat with Tre-Hold Sprout Inhibitor when sprouts are not more than 10 inches tall. Apply with a brush, small hand held sprayer or back pack sprayer. Tre-Hold Sprout Inhibitor will control new sprout growth of olives, but will not control old woody sprouts. Do not treat during olive bloom or fruit set. Limit treated areas to 10% of the plants total bark surface.

Method

[Spray](#)

Timings

[Treat when sprouts are 10 inches tall.](#)