

COTTON

General Information

DIRECTIONS FOR DILUTION UNLESS STATED

DILUTE APPLICATION: Ground Application For Field and Vegetable Crops: Apply specified rate in 20.0 to 60.0 gallons of water per acre.

CONCENTRATE APPLICATION: Ground Application: Apply specified rate in not less than 5.0 gallons of water per acre. Orchard Application:

Apply equivalent per acre rates in 20.0 to 100 gallons of water per acre. Special concentrate equipment is necessary for these uses.

AIR APPLICATION: Apply specified rate in 5.0 to 20.0 gallons of water per acre. Orchard rates use equivalent per acre rate in not less than 10.0 gallons of water per acre. Do not use air application on pecans.

Do not apply this product through any type of irrigation system.

Limitations, Restrictions, and Exceptions

COTTON

Repeat applications should not be made in intervals closer than 14 days. Do not feed treated forage or graze livestock on treated fields. Maximum single application rate: 0.5 pound active ingredient per acre, 14 day retreatment interval. Maximum total rate per season: 1.0 pound active ingredient per acre.

Method

[Broadcast/Foliar Air](#)

[Broadcast/Foliar Ground](#)

Pre-Harvest Interval

14 days

Rates

[field_rates 0](#)

[field_rates 1](#)

-

Restricted Entry Interval

48 hours

Timings

[N. A.](#)