

HERBICIDES

General Information

GENERAL INFORMATION

Hasten is designed to be tank mixed with desiccants. Increased performance of Desiccate II has been demonstrated when tank mixed with the recommended rate of Hasten.

Read label of pesticide carefully. Keep container tightly closed and DO NOT allow water to be introduced to contents of this container.

For pesticides/herbicides that permit use of an adjuvant at a higher rate, follow instructions on that pesticide/herbicide label. HOWEVER, DO NOT ADD THIS PRODUCT AT A RATE WHICH EXCEEDS 5% OF THE FINISHED SPRAY VOLUME. EXCEPT WHEN USED AS A DILUENT IN DORMANT, BASAL, SITE PREPARATION OR OTHER SIMILAR APPLICATIONS, PER LABEL INSTRUCTIONS.

Use caution at the higher application rates. When applying to a sensitive crop, first treat a small area to determine if there may be adverse effects on the crop.

Limitations, Restrictions, and Exceptions

Herbicides: Use 1-4 pints of Hasten per acre, the addition of a nitrogen fertilizer such as 28%-32% N solution or ammonium sulfate may be required to improve control under extreme environmental conditions or to satisfy certain label requirements.

Method

[N.A](#)

Rates

[field rates 0](#)

-

Timings

[N.A](#)